

```
[1]MyDeainoEng.java
```

```
/*
```

```
-----  
    出会いの実験 (英語版)  
    Android 4.1 (Jelly Bean)  
    Copyright (C) K. Niwa 2021. 9. 28  
-----
```

```
*/
```

```
package jp.kiyo.wuena.mydeainoeng;
```

```
import android.content.Context;
```

```
import android.graphics.Canvas;
```

```
import android.graphics.Color;
```

```
import android.graphics.Paint;
```

```
import android.graphics.Rect;
```

```
import android.util.AttributeSet;
```

```
import android.view.View;
```

```
import android.content.res.Resources; //画像用
```

```
import android.graphics.*;
```

```
import android.view.*;
```

```
public class MyDeainoEng extends View {
```

```
    private Bitmap bitmap1 = null; //画像型として宣言し、初期化する
```

```
    private Bitmap bitmap2 = null; //画像型として宣言し、初期化する
```

```
    int mx=185-10,my=220; //桃太郎の位置
```

```
    int ix=265-10,iy=220; //犬の位置
```

```
    int oldmx,oldmy; //桃太郎の直前の位置
```

```
    int oldix,oldiy; //犬の直前の位置
```

```
    int flag=0; //自動識別子
```

```
    int k; //動き回数カウンター
```

```
    double r1,r2; //桃太郎、犬の動く方向 (上下左右) 識別子 (乱数)
```

```
    int ct=0; //出会い回数カウンター
```

```
    int count; //カウンター
```

```

int syoki=0;           //初期化識別子

public MyDeainoEng(Context context) {
    super(context);
    init(context);
}

public MyDeainoEng(Context context, AttributeSet attrs) {
    super(context, attrs);
    init(context);
}

public MyDeainoEng(Context context, AttributeSet attrs, int defStyle) {
    super(context, attrs, defStyle);
    init(context);
}

private void init(Context context) {
    Resources res = context.getResources();
    bitmap1 = BitmapFactory.decodeResource(res, R.drawable.momota);
    bitmap2 = BitmapFactory.decodeResource(res, R.drawable.inu);
}

@Override
protected void onDraw(Canvas canvas) {
    // TODO 自動生成されたメソッド・スタブ

    float a=0;
    float b=0;
    float c=0;
    float d=0;

    super.onDraw(canvas);
    canvas.drawColor(Color.WHITE);
    Paint paint = new Paint();
    paint.setColor(Color.BLUE);

```

```

    paint.setAlpha(50);
    canvas.drawRect((getWidth()/2-360)+20, (getHeight()/2-600)+10, (getWidth()/2-
360)+700, (getHeight()/2-600)+1190, paint);

    paint.setAlpha(10000);
    paint.setColor(Color.BLUE);

    for (int i=0;i<2;i++) {
        canvas.drawLine((getWidth()/2-360)+20+i, (getHeight()/2-600)+10+i, (getWidth()/2-
360)+20+i, (getHeight()/2-600)+1190-i, paint);
        canvas.drawLine((getWidth()/2-360)+20+i, (getHeight()/2-600)+1190-i, (getWidth()/2-
360)+700-i, (getHeight()/2-600)+1190-i, paint);
        canvas.drawLine((getWidth()/2-360)+700-i, (getHeight()/2-600)+1190-i, (getWidth()/2-
360)+700-i, (getHeight()/2-600)+10+i, paint);
        canvas.drawLine((getWidth()/2-360)+700-i, (getHeight()/2-600)+10+i, (getWidth()/2-
360)+20+i, (getHeight()/2-600)+10+i, paint);
    }

    if (MainActivity.ritsu != 0) {
        a=(float)0.7*320/MainActivity.ritsu;
        b=(float)0.7*320/MainActivity.ritsu;
        c=(float)0.7*320/MainActivity.ritsu;
        d=(float)0.7*320/MainActivity.ritsu;
    }
    else {
        a=(float) 1.0;
        b=(float) 1.0;
        c=(float) 1.0;
        d=(float) 1.0;
    }

    Matrix Mat1 = new Matrix();
    Mat1.postScale(a, b);
    Bitmap bitmap11 = Bitmap.createBitmap(
        bitmap1, 0, 0,
        bitmap1.getWidth(),

```

```

        bitmap1.getHeight(),
        Mat1, true

    );

    Matrix Mat2 = new Matrix();
    Mat2.postScale(c, d);
    Bitmap bitmap22 = Bitmap.createBitmap(
        bitmap2, 0, 0,
        bitmap2.getWidth(),
        bitmap2.getHeight(),
        Mat2, true

    );

    paint.setColor(Color.BLUE);
    paint.setTextSize(45.0f);
    canvas.drawText(" [Encounter Experiment] ", (getWidth()/2-360)+100+90-95,
(getHeight()/2-600)+90, paint);

    paint.setColor(Color.BLUE);
    paint.setTextSize(40.0f);
    canvas.drawText("Number of encounters = "+ct, (getWidth()/2-360)+100, (getHeight()/2-
600)+500+50, paint);
    paint.setColor(Color.BLACK);
    canvas.drawText("Number of movements = "+k, (getWidth()/2-360)+100, (getHeight()/2-
600)+560+50, paint);

    paint.setColor(Color.BLUE);
    paint.setTextSize(35.0f);

    //if (flag==1 || flag==3) {
    //canvas.drawText("
", (getWidth()/2-
360)+100, (getHeight()/2-600)+140, paint);
    //canvas.drawText("
", (getWidth()/2-
360)+100, (getHeight()/2-600)+160, paint);

```

```

        //canvas.drawText("
        ", (getWidth()/2-
360)+100, (getHeight()/2-600)+180, paint);
    //}
    //else {
        canvas.drawText("■Let' observe whether it is easier to", (getWidth()/2-360)+50,
(getHeight()/2-600)+140+600+50-20, paint);
        canvas.drawText(" meet if both Momotaro and Dog", (getWidth()/2-360)+50,
(getHeight()/2-600)+170+600+50-20, paint);
        canvas.drawText(" move, or if only Dog moves.", (getWidth()/2-360)+50,
(getHeight()/2-600)+200+600+50-20, paint);
    //}

    //動き回る枠
    paint.setColor(Color.BLACK);
    canvas.drawLine((getWidth()/2-360)+90+120, (getHeight()/2-600)+100+50, (getWidth()/2-
360)+390+120, (getHeight()/2-600)+100+50, paint);
    canvas.drawLine((getWidth()/2-360)+90+120, (getHeight()/2-600)+100+50, (getWidth()/2-
360)+90+120, (getHeight()/2-600)+400+50, paint);
    canvas.drawLine((getWidth()/2-360)+90+120, (getHeight()/2-600)+400+50, (getWidth()/2-
360)+390+120, (getHeight()/2-600)+400+50, paint);
    canvas.drawLine((getWidth()/2-360)+390+120, (getHeight()/2-600)+400+50, (getWidth()/2-
360)+390+120, (getHeight()/2-600)+100+50, paint);
    canvas.drawLine((getWidth()/2-360)+89+120, (getHeight()/2-600)+99+50, (getWidth()/2-
360)+391+120, (getHeight()/2-600)+99+50, paint);
    canvas.drawLine((getWidth()/2-360)+89+120, (getHeight()/2-600)+99+50, (getWidth()/2-
360)+89+120, (getHeight()/2-600)+401+50, paint);
    canvas.drawLine((getWidth()/2-360)+89+120, (getHeight()/2-600)+401+50, (getWidth()/2-
360)+391+120, (getHeight()/2-600)+401+50, paint);
    canvas.drawLine((getWidth()/2-360)+391+120, (getHeight()/2-600)+401+50, (getWidth()/2-
360)+391+120, (getHeight()/2-600)+99+50, paint);

    paint.setColor(Color.BLACK);
    paint.setTextSize(30.0f);
    canvas.drawText("Touch the screen to move.", (getWidth()/2-360)+50, (getHeight()/2-
600)+950-40, paint);
    canvas.drawText("Touch the screen again to stop.", (getWidth()/2-360)+50,

```



```

        my=my+10; //下
    }
}
else if (r1<0.75) {
    if (mx>120) {
        oldmx=mx;
        oldmy=my;
        mx=mx-10; //左
        my=my;
    }
}
else if (r1<1) {
    if (my>120) {
        oldmx=mx;
        oldmy=my;
        mx=mx;
        my=my-10; //上
    }
}

r2=Math.random(); //犬の動きの判断
if (r2<0.25) {
    if (ix<320) {
        oldix=ix;
        oldiy=iy;
        ix=ix+10; //右
        iy=iy;
    }
}
else if (r2<0.5) {
    if (iy<320) {
        oldix=ix;
        oldiy=iy;
        ix=ix;
        iy=iy+10; //下
    }
}

```

```

    }
    else if (r2<0.75) {
        if (ix>120) {
            oldix=ix;
            oldiy=iy;
            ix=ix-10; //左
            iy=iy;
        }
    }
    else if (r2<1) {
        if (iy>120) {
            oldix=ix;
            oldiy=iy;
            ix=ix;
            iy=iy-10; //上
        }
    }
}

//if (mx==ix && my==iy) {
if (mx<ix+30 && mx > ix-30 && my<iy+30 && my>iy-30) {
    ct=ct+1;
    mx=185;my=220;ix=265;iy=220;
}

paint.setColor(Color.BLUE);
paint.setTextSize(40.0f);
canvas.drawText("Number of encounters = "+ct, (getWidth()/2-360)+100,
(getHeight()/2-600)+500+50, paint);
paint.setColor(Color.BLACK);
canvas.drawText("Number of movements = "+k, (getWidth()/2-360)+100,
(getHeight()/2-600)+560+50, paint);

} //if (flag==1) {

else if (flag==3) {

```



```

r2=Math.random(); //犬の動きの判断
if (r2<0.25) {
    if (ix<320) {
        oldix=ix;
        oldiy=iy;
        ix=ix+10; //右
        iy=iy;
    }
}
else if (r2<0.5) {
    if (iy<320) {
        oldix=ix;
        oldiy=iy;
        ix=ix;
        iy=iy+10; //下
    }
}
else if (r2<0.75) {
    if (ix>120) {
        oldix=ix;
        oldiy=iy;
        ix=ix-10; //左
        iy=iy;
    }
}
else if (r2<1) {
    if (iy>120) {
        oldix=ix;
        oldiy=iy;
        ix=ix;
        iy=iy-10; //上
    }
}

//if (mx==ix && my==iy) {
if (mx<ix+30 && mx > ix-30 && my<iy+30 && my>iy-30) {

```

```

        ct=ct+1;
        mx=185;my=220;ix=265;iy=220;
    }

    paint.setColor(Color.BLUE);
    paint.setTextSize(40.0f);
    canvas.drawText("Number of encounters = "+ct, (getWidth()/2-360)+100,
(getHeight()/2-600)+500+50, paint);
    paint.setColor(Color.BLACK);
    canvas.drawText("Number of movements = "+k, (getWidth()/2-360)+100,
(getHeight()/2-600)+560+50, paint);

    }//else if (flag==3) {

//if (bitmap1 != null && bitmap2 != null) {

    if (flag==1 || flag==3) {
        invalidate();
    }

} //protected void onDraw(Canvas canvas) {

@Override
public boolean onTouchEvent(MotionEvent event) {

    flag++;
    flag=flag % 4;

    if (flag==1 || flag==3) {
        k=0; //動きカウンターの初期化
        ct=0; //出会いカウンターの初期化
        mx=185;my=220; //桃太郎の位置
        ix=265;iy=220; //犬の位置
    }

    invalidate();
    return false;
}

```

```
}
```

```
}//public class MyDeai extends View {
```

[2]activity\_main.xml

```
<?xml version="1.0" encoding="utf-8"?>  
<androidx.constraintlayout.widget.ConstraintLayout  
xmlns:android="http://schemas.android.com/apk/res/android"  
xmlns:app="http://schemas.android.com/apk/res-auto"  
xmlns:tools="http://schemas.android.com/tools"  
android:layout_width="match_parent"  
android:layout_height="match_parent"  
tools:context=".MainActivity">  
  
<TextView  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:text="Hello World!"  
    app:layout_constraintBottom_toBottomOf="parent"  
    app:layout_constraintLeft_toLeftOf="parent"  
    app:layout_constraintRight_toRightOf="parent"  
    app:layout_constraintTop_toTopOf="parent" />  
  
<jp.kiyo.wuena.mydeainoeng.MyDeainoEng  
    android:id="@+id/myfview1"  
    android:layout_height="match_parent"  
    android:layout_width="match_parent"/>  
  
</androidx.constraintlayout.widget.ConstraintLayout>
```

[3]MainActivity.java

```
/*
```

---

出会いの実験(英語版)

Android 4.1 (Jelly Bean)  
Copyright (C) K. Niwa 2021. 9. 28

---

\*/

```
package jp.kiyo.wuena.mydeainoeng;

import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.util.DisplayMetrics;    //<画像の拡大・縮小に必要なライブラリ>
import android.app.Activity;
import android.view.Menu;

public class MainActivity extends AppCompatActivity {

    static int ritsu;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        DisplayMetrics metrics = new DisplayMetrics(); //<端末の情報を取得する>
        getWindowManager().getDefaultDisplay().getMetrics(metrics);
        StringBuilder buffer = new StringBuilder();
        buffer.append("densityDpi (ドット数/インチ) : " + String.valueOf(metrics.densityDpi)
+ "\n");
        ritsu=metrics.densityDpi;
    }
}
```